

Configure Parallels Desktop Network Adapter for CodeMeter Runtime 4.50, enable Time Server access, when running Windows 7 in Parallels under Mac OSX :

```

Administrator: Visual Studio 2005 Command Prompt
Default Gateway . . . . . : 352387068
DHCPv6 IAID . . . . . : 00-01-00-01-14-D6-CE-52-00-1C-42-50-B1-8D
DHCPv6 Client DUID. . . . . : 10.65.40.1
DNS Servers . . . . . : 10.211.55.1
NetBIOS over Tcpip. . . . . : Enabled


Ethernet adapter Local Area Connection:

Connection-specific DNS Suffix . : localdomain
Description . . . . . : Intel(R) PRO/1000 MT Network Connection
Physical Address. . . . . : 00-1C-42-A7-F1-D9
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . . : Yes
Site-local IPv6 Address . . . . . : fec0::fea9:2c95:45f2:17e1:525f%1(Preferred)
Link-local IPv6 Address . . . . . : fe80::2c95:45f2:17e1:525f%10(Preferred)
IPv4 Address. . . . . : 10.211.55.8(Preferred)
Subnet Mask . . . . . : 255.255.255.0
Lease Obtained. . . . . : Monday, August 20, 2012 6:58:20 PM
Lease Expires . . . . . : Wednesday, August 20, 2012 7:58:19 PM
Default Gateway . . . . . : 10.211.55.1
DHCP Server . . . . . : 10.211.55.1
DNS Servers . . . . . : 10.211.55.1
NetBIOS over Tcpip. . . . . : Enabled


Tunnel adapter isatap.localdomain:

Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . : localdomain
Description . . . . . : Microsoft ISATAP Adapter
    
```

Run cmd.exe, type ipconfig /all . Note (Preferred) IPv4 Address.



Parallels Desktop|Preferences...|Advanced|Network : Change Settings...



Virtual Machine|Configure...|Network 1